




Technical Information



Open

Inner bore $d$ mm	Bearing number open	Principal dimensions			Basic load ratings		Max runout speed		Mass kg
		$D$	$W$ mm	$r$	dynamic $C$ N	static $C_0$	grease oil	r/min	
17	6403	62	17	1.0	18300	8600	8400	10500	0.27
20	6404	72	19	1.0	24500	12000	7000	9100	0.40
25	6405	80	21	1.5	28600	15400	6300	7700	0.53
30	6406	90	23	1.5	34800	18800	5900	7000	0.74
35	6407	100	25	1.5	44200	24800	4900	2900	0.95
40	6408	110	27	2.0	50900	29200	4600	5600	1.25
45	6409	1230	29	2.0	60800	36000	4200	4900	1.55
50	6410	130	31	2.0	69600	41600	3700	4400	1.90
55	6411	140	33	2.0	79600	49600	3500	4200	2.30
60	6412	150	35	2.0	86400	55600	3300	3900	2.75
65	6413	160	37	2.0	95200	62400	3100	3700	3.30
70	6414	180	42	2.5	114400	8300	2600	3100	4.85
75	6415	190	45	2.5	122400	91200	2500	3000	6.80
80	6416	200	48	2.5	130400	100000	2300	2800	8.00
85	6417	210	52	3.0	139200	109600	2200	2600	9.50
90	6418	225	54	3.0	148800	120000	2100	2500	11.50

